

Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

TAITADEY

SDS-GPS

Ver.: 11.0

GPPS/HIPS Resin

### SAFETY DATA SHEET

DATE ISSUED: 2004/11/03 DATE REVISED: 2022/01/10 REV. No.: No.011

### 1. PRODUCT INFORMATION:

PRODUCT GRADE GPPS-861 N/ B /O/ F, GPPS-866 N/ B/NM/BM, GPPS-808, GPPS-818

GPPS-818K / L, GPPS-751S

SUPPLIER TAITA CHEMICAL CO. LTD., / KAOHSIUNG BRANCH

No. 3, Jianji St. Qianzhen District, Kaohsiung City 80672, Taiwan

TRADE NAME TAITAREX GPPS

CHEMICAL NAME Styrene Homopolymer.

SYNONYMS GPPS (General Purpose Polystyrene)

USED FOR Single or mixture used for the production of injection and extrusion

#### 2. HAZARD IDENTIFICATION :

#### **GHS** classification

This product is not hazardous under United Nations GHS Parts 2,3 and 4.

Most Important Hazards None
Adverse Human Health Effects None
Environmental Effects None
Physical and Chemical Hazards None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Preparation Substance

Content >97 % ( Additives <= 3 % )

Formula  $(C_8 H_8)m$  CAS NO. 9003-53-6

Impurities Contributing to Hazards None

#### 4. FIRST AID MEASURES :

In case of gases evolving from melted resin, move subject to fresh air. Treat

symptomatically.

Skin Contact In case of pellets or powder, wash with water. In case of melted resin, wash affected skin

area and clothing with plenty of soap and water, seek medical advice.

Eye Contact In case of pellets or powder, flush with plenty of water for at least 15 minutes. Seek



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

TAITARFX

SDS-GPS

Ver.: 11.0

GPPS/HIPS Resin

medical advice if any dust particles still remain.

In case of gases evolving from melted resin of high temperature, flush with plenty of

water for at least 15 minutes. Seek medical advice if necessary.

Ingestion Induce vomiting. Rinse mouth with water. Seek medical advice if necessary.

### **5. FIRE-FIGHTING MEASURES :**

Extinguishing Media Water and various kinds of fire-extinguishers may be used.

Special Fire-Fighting Procedure Self contained breathing apparatus.

Fire and Explosion Hazards None.

#### 6. ACCIDENTAL RELEASE MEASURES:

Methods for Cleaning Up Recovery if not contaminated or disposal.

Personal Precautions Spilled pellets or powder on ground may cause slipping.

Environmental Precautions Gather pellets and powder thoroughly to avoid environment water pollution.

#### 7. HANDLING AND STORAGE:

Handling Keep away from fire and sources of ignition. Maintain good housekeeping standards to prevent

accumulation of dust. To avoid dust explosion resulting from the existence of static electricity build-up, electrostatics eliminators and grounding such as air transferring pipes, electrically

conductive bag filters and hoppers should be fixed to equipment.

Storage Keep the materials in a cool dry place. Protect from direct sunlight, rain and violent temperature

fluctuation. Store in a fire inhibited area.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION :

Threshold Limit Value Not determined.

Ventilation Necessary to exclude dust, fumes and gas.

#### **PERSONAL PROTECTION:**

Eye Wear safety glasses for general purpose. Wear chemical goggles for cleaning molding machines.

Skin When handling pellets avoid prolonged or repeated contact with skin, gloves are not especially

needed, but when handing molten resins, wear gloves with good thermal insulation. Ordinary work clothing will do, but in the case of handling molten resins, wear laboratory clothing with

long sleeves.

Respiratory Wear masks for cleaning molding machines.



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

# **TAITAREX**

SDS-GPS

Ver. : 11.0

GPPS/HIPS Resin

#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance Transparent (colourless)

Melting Temperature Softening above 90°C

Solubility Insoluble in water.

Specific Gravity 1.03 ~ 1.10

### 10. STABILITY AND REACTIVITY:

Flammability Yes
Flash Point 350°C
Autoignition Temperature 490°C
Reactivity with Water No

Stability Stable and non-reactive under normal handling and storage conditions

Dust Explosion Possible if powder exists

Explosion data for powder (<145 mesh)

Lower explosion limit  $15 \text{ g/m}^3$ Minimum ignition energy 40 mJMaximum explosion pressure  $5.3 \times 10^5 \text{ Pa}$ Maximum pressure increase rate  $3.4 \times 10^6 \text{ Pa/S}$ 

Thermal Decomposition Gases CO., CO<sub>2</sub>, SM and SM dimer

Combustion Energy 4.16x10<sup>7</sup> j / kg (9930 Kcal / kg)

### 11. TOXICOLOGICAL INFORMATION:

Irritation Fumes or vapors generated from decomposing resin may irritate eyes.

Acute oral toxicity (LD50) Not determined.

Mutagenicity Not determined.

### 12. ECOLOGICAL INFORMATION:

For the safety of ocean species and birds, disposal of the waste to the ocean and water courses is inhibited.

#### 13. DISPOSAL CONSIDERATIONS :

Controlled incineration or landfill according to local, state or national laws and regulations concerning health and pollution. Inadequate incineration may generate toxic gases such as CO and SM.



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

**TAITAREX** 

SDS-GPS

Ver.: 11.0

**GPPS/HIPS Resin** 

#### 14. TRANSPORT INFORMATION :

ADR/RID

14.1 UN number

Not applicable

14.2 UN proper shipping name

Proper Shipping Name: NOT REGULATED

14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user

Special Provisions: no data available

Hazard identification No: no data available

ADNR / ADN

14.1 UN number

Not applicable

14.2 UN proper shipping name

Proper Shipping Name: NOT REGULATED

14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user

no data available

**IMDG** 

14.1 UN number

Not applicable

14.2 UN proper shipping name

Proper Shipping Name: NOT REGULATED



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

**TAITAREX** 

SDS-GPS

Ver.: 11.0

**GPPS/HIPS Resin** 

### 14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user EMS Number:

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### ICAO/IATA

14.1 UN number

Not applicable

14.2 UN proper shipping name Proper Shipping Name:

NOT REGULATED

14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user

no data available

#### 15. REGULATORY INFORMATION:

- 1.Occupational Safety and Health Action. (Taiwan)
- 2.Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace (Taiwan)
- 3. Criteria Governing Methods of and Facilities for Storage, Clearance and Treatment of Industrial Wastes (Taiwan)

All disposal methods must be in compliance with every local government and local laws and regulations.

Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

#### 16. OTHER INFORMATION:

**Tabulation**: Taita Chemical Company, Limited. R & D Dept.

Addresses: No. 3, Jianji St. Qianzhen District, Kaohsiung City 80672, Taiwan



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

Ver. : 11.0

SDS-GPS

**TAITAREX** GPPS/HIPS Resin

Tel: (886)-7-810-0866

Fax: (886)-7-811-2150