

Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

**TAITAREX** 

SDS-HIPS

Ver.: 11.0

**GPPS/HIPS Resin** 

# SAFETY DATA SHEET

DATE ISSUED: 2004/11/03 DATE REVISED: 2022/01/10 REV No:No. 011

### 1. PRODUCT INFORMATION:

PRODUCT GRADE HIPS-666, HIPS-616

SUPPLIER TAITA CHEMICAL CO. LTD., / KAOHSIUNG BRANCH

No. 3, Jianji St. Qianzhen District, Kaohsiung City 806, Taiwan

(886-7) 810-0866

TRADE NAME TAITAREX HIPS

CHEMICAL NAME Styrene – Butadiene Copolymer SYNONYMS HIPS.(High Impact Polystyrene)

USED FOR Single or mixture used for the production of injection and extrusion

## 2. HAZARD IDENTIFICATION:

### **GHS** classification

This product is not hazardous under United Nations GHS Parts 2,3 and 4.

Most Important Hazards None
Adverse Human Health Effects None
Environmental Effects None
Physical and Chemical Hazards None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS:

Substance or Preparation Substance

Content > 99 % ( Additives <= 1 % )

CAS NO. 9003-55-8

Impurities Contributing to Hazards None

### 4. FIRST AID MEASURES:

Inhalation: In case of gases evolving from melted resin, move subject to fresh air. Treat

symptomatically.

Skin Contact: In case of pellets or powder, wash with water. In case of melt, wash affected skin area and

clothing with plenty of soap and water, seek medical advice.

Eye Contact: In case of pellets or powder, flush with plenty of water for at least 15 minutes. Seek medical

advice if any dust particles still remain.

In case of gases evolving from melted resin of high temperature, flush with plenty of water



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

**TAITAREX** 

SDS-HIPS

Ver.: 11.0

GPPS/HIPS Resin

for at least 15 minutes. Seek medical advice if necessary.

Induce vomiting. Rinse mouth with water. Seek medical advice if necessary.

### **5. FIRE-FIGHTING MEASURES:**

Extinguishing Media: Water, Foam, Dry chemical extinguishes media.

Special Fire-Fighting Procedure: Self contained breathing apparatus and turnout gear.

Fire and Explosion Hazards: None

### 6. ACCIDENTAL RELEASE MEASURES:

Methods for Cleaning up: Recovery if not contaminated or disposal.

Personal Precautions: Spilled pellets or powder on ground may cause slipping.

Environmental Precautions: Gather pellets and powder thoroughly to avoid or

environmental water pollution.

#### 7. HANDLING AND STORAGE:

Handling Keep away from fire and sources of ignition. Maintain good housekeeping standards to prevent

accumulation of dust. To avoid dust explosion resulting from the existence of static electricity build-up, electrostatics eliminators and grounding such as air transferring pipes, electrically

conductive bag filters and hoppers should be fixed to equipment.

Storage Keep the materials in a cool dry place. Protect from direct sunlight, rain and violent temperature

fluctuation. Store in a fire inhibited area.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Threshold Limit Value Not determined.

Ventilation Necessary to exclude dust, fumes and gases.

#### PERSONAL PROTECTION:

Eye Wear safety glasses for general purpose. Wear chemical goggles for

cleaning molding machines.

Respiratory Wear masks for cleaning molding machines.

Gloves Necessary for handling melted resin.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Off white pellets.

Melting Temperature: Softening above 85°C Solubility: Insoluble in water.

Specific Gravity: 1.03 ~ 1.10



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504 SDS-HIPS Ver.: 11.0

# <u>TAITAREX</u>

**GPPS/HIPS Resin** 

## 10. STABILITY AND REACTIVITY:

Flammability: Yes.
Flash Point: 350°C
Auto ignition Temperature: 490°C
Reactivity with Water: No.

Stability: Stable and non-reactive under normal handling and storage

conditions.

Dust Explosion: Possible if powder exists.

Explosion data for powder (<145 mesh)

Maximum explosion pressure 5.3×105 Pa Maximum pressure increase rate 3.4×106 Pa/S

Thermal Decomposition Gases: CO., CO2, SM and SM dimer

Combustion Energy: 4.16×107 j / kg (9930 Kcal / kg)

#### 11. TOXICOLOGICAL INFORMATION:

Irritation Fumes or vapors generated from decomposing resin may irritate

eyes.

Acute oral toxicity (LD50) Not determined.

Mutagenicity Not determined.

## 12. ECOLOGICAL INFORMATION:

For the safety of the sea animals, proper disposal of waste according to rules and regulation is necessary.

## 13. DISPOSAL CONSIDERATIONS:

Controlled incineration or landfill according to local, state or national laws and regulations concerning health and pollution. Inadequate incineration may generate toxic gases such as CO and SM.

## 14. TRANSPORT INFORMATION:

ADR/RID

14.1 UN number

Not applicable

14.2 UN proper shipping name

Proper Shipping Name: NOT REGULATED



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

TAITAREX

SDS-HIPS

Ver.: 11.0

**GPPS/HIPS Resin** 

## 14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user

Special Provisions: no data available

Hazard identification No: no data available

#### ADNR / ADN

14.1 UN number

Not applicable

14.2 UN proper shipping name

Proper Shipping Name: NOT REGULATED

14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user

no data available

### **IMDG**

14.1 UN number

Not applicable

14.2 UN proper shipping name

Proper Shipping Name: NOT REGULATED

14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user EMS Number:



Address: NO.5, INDUSTRIAL 1ST RD., LINYUAN DIST., KAOHSIUNG, TAIWAN

Tel: (886) 2-8751-6888 Fax: (886) 2-2659-9504

TAITAREX

SDS-HIPS

Ver.: 11.0

**GPPS/HIPS Resin** 

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

#### ICAO/IATA

14.1 UN number

Not applicable

14.2 UN proper shipping name Proper Shipping Name:

NOT REGULATED

14.3 Transport hazard class(es)

Not applicable

14.4 Packing Group

Not applicable

14.5 Environmental hazards

Not considered environmentally hazardous based on available data

14.6 Special precautions for user

no data available

## 15. REGULATORY INFORMATION:

1.Occupational Safety and Health Action. (Taiwan)

2.Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace (Taiwan)

3. Criteria Governing Methods of and Facilities for Storage, Clearance and Treatment of Industrial Wastes (Taiwan)

All disposal methods must be in compliance with every local government and local laws and regulations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

### 16. OTHER INFORMATION:

Tabulation: Taita Chemical Company, Limited. R & D Dept.

Addresses: No. 3, Jianji St. Qianzhen District, Kaohsiung City 80672, Taiwan

**Tel:** (886)-7-810-0866 **Fax:** (886)-7-811-2150